

## TECHNICAL CHARACTERISTICS OF PRODUCT

The characteristics of the product specified in this technical report meet the specification and test methods according to norm ASTM requirements.

### PRODUCT SPECIFICATION

<b>Reference</b>	<b>DELRAY WHITE BR 30X30</b>
<b>Product Code</b>	8031925
<b>Nominal Size (N)</b>	30 cm x 30 cm
<b>Work Size (W)</b>	295 mm x 295 mm
<b>Thickness</b>	8,1 mm
<b>Water Absorption</b>	BIIa
<b>Shade Variation</b>	V2
<b>Application Joint</b>	3,0 mm
<b>Coverage Area</b>	1,50 m <sup>2</sup> /cx
<b>Number of pieces per box</b>	17
<b>Usage Recommendation</b>	LB

Check if the product is adequate for the planned installation area according to the room application table:

CODE	APPLICATION ROOM
LA	Residencial bathrooms.
LB	Residencial areas, bedrooms and kitchens with no access to the street and LA spaces.
LC	Commercial areas without access to the street, garages, porches and residencial areas with access to the street, and LB and LA spaces.
LD	Commercial areas with access to the street and LA, LB, and LA spaces.
LE	Sidewalks and outside flat areas and LD, LC, LB and LA spaces.
LP	Pools.
LF	Façades.

### PHYSICAL PROPERTIES

Breaking strength (lbf)	≥ 250
Water Absorption (%)	7
Visible abrasion Resistance	IV

Eliane S/A Revestimentos Cerâmicos

Rua Maximiliano Gaidzinski 245  
88845-000 Cocal do Sul - SC - Brasil  
Tel + 55 48 3447 7981 Fax + 55 48 3447 7706  
www.eliane.com



### DYNAMIC COEFFICIENT OF FRICTION

---

Dynamic coefficient of friction:            Wet:    0,25

---

*Test method according to norm ANSI A 137.*

### CHEMICAL PROPERTIES

---

Chemical Resistance                            Class A


Stain Resistance                                Class A

---

#### Attention:


- Sand may produce scratches on any type of surface covering (stone, wood, vinyl or ceramic tiles). Therefore, ceramic tiles are not warranted against scratches, especially concerning glossy surface products.
- Special care is recommended during the application and its use
- In residential areas, we recommend to protect the base of furniture and appliances.
- Product manufactured by the wet process.
- Product with Class I combustibility, according to NBR 15575.

February 02, 2017.  
Cocal do Sul – SC – Brazil



---

Sergio Pereira Ruzza  
Gerente de Tecnologia Cerâmica



---

Angela Waterkemper Vieira  
Analista Desenvolvimento de Processos